

# Pin assignment

Pin assignment number: 1446

Connector name: 15-pol HARTING

Index:

Pin-count: 15

13.01.2021

Page: 1/1

Pin	Designation	Description	Colour
A1	PNT_Adress+_IN	Data input +	-
A2	PNT_Adress-_IN	Data input -	-
A3	PNT_Data+_OUT	Data output +	-
A4	PNT_Data-_OUT	Data output -	-
A5	Adress 2 <sup>3</sup> _IN	Encoder address 2 <sup>3</sup>	-
B1	Baud 2 <sup>0</sup> _IN	Baud rate 2 <sup>0</sup>	-
B2	Baud 2 <sup>1</sup> _IN	Baud rate 2 <sup>1</sup>	-
B3	not connected		-
B4	Adress 2 <sup>1</sup> _IN	Encoder address 2 <sup>1</sup>	-
B5	Adress 2 <sup>2</sup> _IN	Encoder address 2 <sup>2</sup>	-
C1	Preset1_IN	Preset value 1	-
C2	Preset2_IN	Preset value 2	-
C3	Adress 2 <sup>0</sup> _IN	Encoder address 2 <sup>0</sup>	-
C4	Supply Voltage IN	Supply voltage	-
C5	Ground IN	Ground	-

<b>BAUD RATE :</b>	'	307200	38400	19200	9600
	2 <sup>0</sup> :	NC	US	NC	US
	2 <sup>1</sup> :	NC	NC	US	US
	2 <sup>2</sup> :	NC	NC	NC	NC
	2 <sup>3</sup> :	NC	NC	NC	NC
	'				