

# Pin assignment

+ 246A = K98A

Pin assignment number: 1298

Index: A

02.02.2017

Connector name: 25-pol HARTING

Pin-count: 25

Page: 1/1

Pin	Designation	Description	Level	Driver	NC	Colour
A1	O_D0	Data output				brown
A2	O_D1	Data output				green
A3	O_D2	Data output				white
A4	O_D3	Data output				pink
A5	O_D4	Data output				yellow
A6	O_D5	Data output				black
A7	O_D6	Data output				gray
A8	O_D7	Data output				brown/blue
A9	O_D8	Data output				brown/gray
B2	O_D9	Data output				yellow/brown
B3	O_D10	Data output				red/blue
B4	O_D11	Data output				white/yellow
B5	O_D12	Data output				white/red
B6	O_D13	Data output				violet
B7	O_D14	Data output				white/gray
B8	O_D15	Data output				brown/green
C1	not connected					
C2	Parity_Even_OUT	Parity Even				gray/pink
C3	not connected					
C4	not connected					
C5	Screen	Shield				
C6	Preset1_IN	Preset value 1	Supply Voltage		0	white/blue
C7	not connected					
C8	Supply Voltage IN	Supply voltage	11-27V			red
C9	Ground IN	Ground	0V			blue

## WARNING

'De-energize the system before carrying out wiring work or opening and closing electrical connections !

Short-circuits, voltage peaks, etc. can cause operating failures and uncontrolled operating states, as well as serious personal injuries and damage to property.

Verdrahtungsarbeiten, Öffnen und Schließen von elektrischen Verbindungen nur im spannungslosen Zustand durchführen ! Kurzschlüsse, Spannungsspitzen etc. können zur Fehlfunktion und unkontrollierten Zuständen der Anlage bzw. zu erheblichen Personen- und Sachschäden führen.

# Pin assignment

+ 1298A = K98A

Pin assignment number: 246

Index: A

02.02.2017

Connector name: 15-pol SUB-D

Pin-count: 15

Page: 1/1

Pin	Designation	Description	Level	Driver	NC	Colour
1	Ser.Program-_IN/OUT	Ser. programming interface RS485	RS 485	RS 485		white
2	Ser.Program+_IN/OUT	Ser. programming interface RS485	RS 485	RS 485		brown
3	not connected					
4	not connected					
5	not connected					
6	not connected					
7	not connected					
8	not connected					
9	not connected					
10	not connected					
11	not connected					
12	not connected					
13	not connected					
14	Supply Voltage IN	Supply voltage	11-27V			brown/green
15	Ground IN	Ground	0V			white/yellow

## WARNING

'De-energize the system before carrying out wiring work or opening and closing electrical connections !  
Short-circuits, voltage peaks, etc. can cause operating failures and uncontrolled operating states, as well as serious personal injuries and damage to property.

Verdrahtungsarbeiten, Öffnen und Schließen von elektrischen Verbindungen nur im spannungslosen Zustand durchführen ! Kurzschlüsse, Spannungsspitzen etc. können zur Fehlfunktion und unkontrollierten Zuständen der Anlage bzw. zu erheblichen Personen- und Sachschäden führen.